

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - RETA 20

Tested for: PureCompoundingLabs.com
www.purecompoundinglabs.com

COA #: COA-2026-L0BEUE
Lot Number: LOT-2026-332
Labeled Content: RETA 20
Vial Size: 3mL

Analysis Date: 06/30/2026
Appearance: Good
Vial Size: 3mL
Date Received: 06/21/2026

Method: Purity & Quant (HPLC)

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 6KQJ2RXM

Identity	Peptide Purity	
Retatrutide	99.91%	 Fentanyl Free


Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.91%	%	PASS
Net Peptide Content	Report Only	20.69	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide RETA 20 - LOT-2026-332

HPLC Chromatogram



Retatrutide RETA 20 - LOT-2026-332: UV Chromatogram

Notes & Methodology

- Date Tested: 06/30/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
6/30/2026

COA #: COA-2026-L0BEUE
Access Code: 6KQJ2RXM
Verify: lab.ils-lab.com
Issued: 6/30/2026