

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - Reta 60
Tested for: PureCompoundingLabs.com
www.purecompoundinglabs.com

COA #: COA-2026_R5CU7
Lot Number: LOT-2026-332
Labeled Content: Reta 60
Vial Size: 3mL

Analysis Date: 06/30/2026
Appearance: Good
Vial Size: 3mL
Date Received: 06/21/2026

Method: Purity & Quant (HPLC)

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: Q6SWG MJ7

Identity

Peptide Purity

Retatrutide

100.00%


 Fentanyl Free

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	100.00%	%	PASS
Net Peptide Content	Report Only	64.15	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



HPLC Chromatogram



Notes & Methodology

- 1. Date Tested: 06/30/2026. Methods: Purity & Quant (HPLC).
- 2. The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.




Dr. Greg Kalyuzhny
Lab Director
6/30/2026

COA #: COA-2026_R5CU7
Access Code: Q6SWG MJ7
Verify: lab.ils-lab.com
Issued: 6/30/2026